

- Kleiss, R., Average-case complexity distributions: a generalization of the Woźniakowski lemma for multidimensional numerical integration 71 (1992) 39
- Knight, P.J., M. Cox and T.C. Hender, A filament code for tokamak axisymmetric stability 71 (1992) 99
- Kyum, M.C. see B.T. Kim 71 (1992) 150
- Lauderdale, J.G. see D.-h. Lu 71 (1992) 235
- Lisini, A. see M. Brosolo 71 (1992) 207
- Liu, Y.-P. see D.-h. Lu 71 (1992) 235
- Lönnblad, L. and A. Nilsson, The MC + + event generator toolkit – version 0 71 (1992) 1
- Lönnblad, L., Ariadne version 4–A program for simulation of QCD cascades implementing the colour dipole model 71 (1992) 15
- Lu, D.-h., T.N. Truong, V.S. Melissas, G.C. Lynch, Y.-P. Liu, B.C. Garrett, R. Steckler, A.D. Isaacson, S.N. Rai, G.C. Hancock, J.G. Lauderdale, T. Joseph and D.G. Truhlar, POLYRATE 4: a new version of a computer program for the calculation of chemical reaction rates for polyatomics 71 (1992) 235
- Lynch, G.C. see D.-h. Lu 71 (1992) 235
- Mankiewicz, L., A. Schäfer and M. Veltri, PEPSI – a Monte Carlo generator for polarized leptonproduction 71 (1992) 305
- Marchand, R. see X. Bonnin 71 (1992) 147
- Marksteiner, P. see E. Badraxe 71 (1992) 47
- Martinec, Z. see O. Čadek 71 (1992) 56
- Matyska, C. see O. Čadek 71 (1992) 56
- Melissas, V.S. see D.-h. Lu 71 (1992) 235
- Michalewicz, M.T., H.B. Shore, N. Tit and J.W. Halley, Equation of motion method for the electronic structure of disordered transition metal oxides 71 (1992) 222
- Morales, J.J. and S. Toxvaerd, The cell-neighbour table method in molecular dynamics simulations 71 (1992) 71
- Nilsson, A. see L. Lönnblad 71 (1992) 1
- Oh, Y. see E. Badraxe 71 (1992) 47
- Ohlsson, M., C. Peterson and A.L. Yuille, Track finding with deformable templates – the elastic arms approach 71 (1992) 77
- Pabon-Ortiz, C.U. and M. Artoni, Laguerre polynomials: novel properties and numerical generation scheme for analysis of a discrete probability distribution 71 (1992) 215
- Park, M.H. see B.T. Kim 71 (1992) 150
- Peterson, C. see M. Ohlsson 71 (1992) 77
- Pi, H., An event generator for interactions between hadrons and nuclei – FRITIOF version 7.0 71 (1992) 173
- Rai, S.N. see D.-h. Lu 71 (1992) 235
- Rao, K.S. see V. Fack 71 (1992) 285
- Schäfer, A. see L. Mankiewicz 71 (1992) 305
- Sesma, J. see J. Abad 71 (1992) 110

- Shkarofsky, I.P., M.M. Shoucri and V. Fuchs, Numerical solution of the Fokker-Planck equation with a dc electric field 71 (1992) 269
- Shore, H.B. see M.T. Michalewicz 71 (1992) 222
- Shoucri, M.M. see I.P. Shkarofsky 71 (1992) 269
- Simos, T.E., Exponential fitted methods for the numerical integration of the Schrödinger equation 71 (1992) 32
- Smith, R.W., Energy minimization in binary alloy models via genetic algorithms 71 (1992) 134
- Steckler, R. see D.-h. Lu 71 (1992) 235
- Sullivan, E.C. and A. Temkin, Further developments in the noniterative method of solving PDE's in electron scattering 71 (1992) 319
- Tarasov, O.V. see J. Fleischer 71 (1992) 193
- Temkin, A. see E.C. Sullivan 71 (1992) 319
- Tit, N. see M.T. Michalewicz 71 (1992) 222
- Toxvaerd, S. see J.J. Morales 71 (1992) 71
- Truhlar, D.G. see D.-h. Lu 71 (1992) 235
- Truong, T.N. see D.-h. Lu 71 (1992) 235
- Udagawa, T. see B.T. Kim 71 (1992) 150
- Van der Jeugt, J. see V. Fack 71 (1992) 285
- Veltri, M. see L. Mankiewicz 71 (1992) 305
- Wu, S.Y., J.A. Cocks and C.S. Jayanthi, An accelerated inversion algorithm using the resolvent matrix method 71 (1992) 125
- Yuille, A.L. see M. Ohlsson 71 (1992) 77

Program index to volume 71

Computational methods

- ACHX, HHMTX (Fortran, 1040 lines). Integral of a product of three 6-dimensional spherical harmonics
Amaya, A. and E. Chacón 71 (1992) 159
- ACHZ, SHELL2 (Form, 1273 lines). SHELL2: a package for the calculation of two-loop on-shell Feynman diagrams in FORM
Fleischer, J. and O.V. Tarasov 71 (1992) 193
- ACJE, NINEJPAP (C, 286 lines). Parallel computation of recoupling coefficients using transputers
Fack, V., J. Van der Jeugt and K.S. Rao 71 (1992) 285
- ACJB, SEPDE3 (Fortran, 1682 lines). Further developments in the noniterative method of solving PDE's in electron scattering
Sullivan, E.C. and A. Temkin 71 (1992) 319

Computer algebra

- ACJG, INTEG (Reduce, 980 lines). A REDUCE program for the integration of differential polynomials
Bilge, A.H. 71 (1992) 263

Condensed matter and surface science

- ACJD, Eq_of_Motion (Fortran, 2425 lines). Equation of motion method for the electronic structure of disordered transition metal oxides
Michalewicz, M.T., H.B. Shore, N. Tit and J.W. Halley 71 (1992) 222

Elementary particle physics

- ACHY, FRITIOF version 7.0 (Fortran, 5291 lines). An event generator for interactions between hadrons and nuclei – FRITIOF version 7.0
Pi, H. 71 (1992) 173
- ACJF, PEPSI version 1.1 (Fortran, 2950). PEPSI – a Monte Carlo generator for polarized lepton production
Mankiewicz, L., A. Schäfer and M. Veltri 71 (1992) 305

Molecular physics and physical chemistry

- ACJC, POLYRATE 4.0.1 (Fortran, 49972 lines). POLYRATE 4: a new version of a computer program for the calculation of chemical reaction rates for polyatomics
Lu, D.-h., T.N. Truong, V.S. Melissas, G.C. Lynch, Y.-P. Liu, B.C. Garrett, R. Steckler, A.D. Isaacson, S.N. Rai, G.C. Hancock, J.G. Lauderdale, T. Joseph and D.G. Truhlar 71 (1992) 235

- ACJB, SEPDE3 (Fortran, 1682 lines). Further developments in the noniterative method of solving PDE's in electron scattering
Sullivan, E.C. and A. Temkin 71 (1992) 319

Nuclear physics

- ACHU, NLOM (Fortran, 1692 lines). NLOM – a program for nonlocal optical model calculations
Kim, B.T., M.C. Kyum, S.W. Hong, M.H. Park and T. Udagawa 71 (1992) 150

Plasma physics

- ACJA, FPLEGEND (Fortran, 909 lines). Numerical solution of the Fokker-Planck equation with a dc electric field
Shkarofsky, I.P., M.M. Shoucri and V. Fuchs 71 (1992) 269